

# IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 • (909) 472-4100 Fax (909) 472-4244 • www.iapmo.org



## CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

The most updated information on this Certificate of Listing is available online at [pld.iapmo.org](http://pld.iapmo.org)

Effective Date: January 2017

Void After: January 2018

Product: Showers (Plastic)

File No. 9025

Issued To: LG HAUSYS AMERICA, INC.  
900 Circle 75 Parkway  
Suite 1500  
Atlanta, GA 30339

Identification: Plastic showers shall be marked with the manufacturer's name or registered trademark or, in the case of private labeling, the name of the customer for whom the fixture was manufactured. Products that do not comply with one or more of the dimensional requirements shall be marked with an "N" to indicate the non-standard nature of the fixture. Markings shall be permanent, legible, and visible after installation. Packaging shall be marked with the manufacturer's name or registered trademark or, in the case of private labeling, the name of the customer for whom the fixture was manufactured; and the model number. Product shall also bear the UPC® certification mark.

Characteristics: Plastic shower units with or without walls manufactured integral with the shower; or as a multi-piece unit distributed as part of the shower unit. Showers intended for installation against a wall shall incorporate an integral, factory applied nailing flange in accordance with the latest edition of CSA B45.5/IAPMO Z124. Showers without nailing flanges are listed as drop-in units only and are not to be installed against a wall. To be installed in accordance with the manufacturer's instructions and the latest

  
Chairman, Product Certification Committee

  
CEO, The IAPMO Group



This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.



# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING

Page 2

Void After: January 2018

Product: Showers (Plastic)

File No. 9025

Issued To: LG HAUSYS AMERICA, INC.

edition of the Uniform Plumbing Code.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)

Products are in compliance with the following standard(s):

CSA B45.5-11/IAPMO Z124-2011 including Update No. 1 dated May 2012



# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING

Page 3

Void After: January 2018

Product: Showers (Plastic)

File No. 9025

Issued To: Lg Hausys America, Inc.

MODELS:

<u>Model No.</u>	<u>Description</u>
SPN3060L	60" x 30" x 5-1/4" Rectangular shower base with left end drain
SPN3060R	60" x 30" x 5-1/4" Rectangular shower base with right end drain
SPN3636S	36" x 36" x 5-1/4" Square shower base with center drain
SPN3660D	60" x 30" x 5-1/4" Rectangular shower base with center drain
SPN3660S	60" x 30" x 5-1/4" Rectangular shower base with center drain